

Guinto F, 282-284
Gungor A, 45-50, 150

H

Handa U, 360-361
Hanna E, 12-17
Hartig GK, 168-171
Hegde MC, 151-156
Heisey DM, 168-171
Higuera S, 333-336
Hiraumi H, 351-352
Hirose T, 351-352
Hoblitt SL, 279-281
Hollier LH Jr., 333-336
Holsinger FC, 388-392
Hong SP, 296-301
Horenstein MG, 261-264
Hu T, 172-174
Hu X, 172-174
Huang S-F, 57-59

I

Iida M, 22-27
Imaoka I, 265-267
Incesulu A, 123-127
Izumi J, 163-167

J

Jacobs JR, 77-82
Jay APM, 207-209
Jiang X, 172-174
Junquera L, 275-278

K

Kahveci OK, 18-21
Kamath MP, 151-156
Kariya S, 393-397
Karthik S, 1-6
Kashiwamura M, 372-376
Katzenmeyer WK, 282-284
Kawano T, 308-313
Kaya D, 18-21
Keck T, 175-180
Kendall K, 101-107
Keni SP, 146-149
Kessler A, 302-307
Kewson D, 77-82
Khadiilkar U, 151-156
Kim H, 77-82
Kim HC, 245-248
Kim HH, 128-131
Kim HJ, 314-323
Kim MR, 245-248
Kim WJ, 348-350
Kocaturk S, 51-53, 123-127

Kojima H, 22-27
Kokatu T, 308-313
Komiya T, 400-402
Konopacki R, 377-382
Koren I, 83-86
Korkmaz H, 77-82
Kountakis SE, 54-56, 403-405
Kubota A, 308-313
Kuczkowski J, 218
Kugelman A, 268-271
Kumar A, 91-95, 128-131
Kumar RM, 151-156
Kuo W-R, 426-429
Kuriyama K, 400-402

L

Lane R, 214-217
Lawson W, 348-350
Lee B-J, 314-323
Lee F-P, 408-410
Lee H-S, 356-359
Lee O, 193-197
Lee W-J, 108-112
Leonard R, 101-107
Levin RJ, 108-112
Li H-Y, 7-11
Li J, 172-174
Li KK, 7-11
Liao Y-F, 7-11
Liess BD, 214-217
Lin H-S, 77-82
Lin Y-C, 60-63
Lin Y-S, 356-359
Lindemann J, 175-180

M

Maghami EG, 71-74
Malone JP, 108-112
Mancuso AA, 210-213
Manome Y, 22-27
Marino F, 201-206
Marino K, 400-402
Marioni G, 201-206
Matsumura M, 372-376
Matsuzaki M, 285-288
Mazzola RF, 344-347
McGuirt WF Sr., 96-100
McMains KC, 403-405
McNamar JP, 118-122
Mellott AL, 146-149
Mendenhall WM, 210-213
Mikaszewski B, 218
Miles BA, 279-281
Minocha A, 353-355
Miura M, 351-352
Miyanishi S, 265-267

Miyata K, 400-402
Miyazaki H, 22-27
Mohammadi M, 132-134
Mohan H, 360-361
Mondin V, 181-185
Moon S-K, 296-301
Morgenshtern S, 83-86
Mudunuri RR, 151-156
Muñoz-Guerra MF, 415-418
Murofushi T, 285-288
Murry T, 157-162
Myers JN, 388-392

N

Nagai H, 377-382
Nakamura Y, 308-313
Nakashima T, 219-225
Narozny W, 218
Naval-Gías L, 415-418
Neri E, 363-371
Nieto S, 415-418
Nishizawa S, 67-70
Noordzij JP, 398-399

O

Ohta S, 67-70
Oktay MF, 393-397
Oliveri CV, 261-264
Omachi K, 163-167
Omeroglu A, 45-50
Onishi H, 400-402
Onrat E, 18-21
Orellana E, 87-90
Orvidas LJ, 135-137
Ota F, 377-382
Ottaviani F, 383-387
Ozcan M, 330-332
Özel O, 18-21
Ozlugedik S, 330-332
Ozluoglu LN, 113-117

P

Pagani D, 344-347
Pagella F, 324-326
Paparella MM, 393-397
Park K, 296-301
Patrocínio JA, 198-200
Patrocínio LG, 198-200
Penalanzo MA, 87-90
Peters CA, 422-425
Petro M, 353-355
Pignataro L, 383-387
Pless D, 175-180
Post G, 54-56, 403-405
Pou AM, 282-284
Poyrazoglu E, 45-50, 150

Prasad KC, 1-6
Prasad SC, 1-6
Puri SK, 12-17

R

Ramírez-Camacho R, 226-229
Raynov AM, 296-301
Rettinger G, 175-180
Riggs CE Jr., 210-213
Rinaldo A, 181-185, 289-295
Robinson RA, 207-209
Rodríguez-Campo FJ, 415-418
Rodríguez-Recio C, 275-278
Roebuck JC, 388-392
Roland PS, 239-244
Ruggiero FP, 142-145

S

Sabatini PR, 261-264
Sageshima M, 163-167
Sakuma I, 163-167
Sali M, 150
Salvatori L, 363-371
Sano N, 400-402
Sato K, 219-225
Schachern PA, 393-397
Scharpf J, 411-414
Schlossberg L, 327-329
Segal S, 302-307
Semino L, 324-326
Seo C-J, 314-323
Shaker R, 239-244
Sheu L-F, 356-359
Shibuya TY, 77-82
Shintaku N, 265-267
Shiono O, 308-313
Shlamkovich N, 302-307
Shlizerman L, 406-407
Shpitzer T, 83-86
Shvero J, 83-86
Si L, 12-17
Solares CA, 87-90

Som PM, 348-350
Somri M, 268-271
Somri M, 272-274
Souillard R, 348-350
Sreedharan S, 151-156
Stack BC Jr., 142-145
Staffieri A, 201-206
Staffieri C, 201-206
Starr BM, 282-284
St-John M, 71-74
Strome M, 138-141
Strome M, 35-38
Stultz T, 411-414

T

Tai C-F, 426-429
Takahashi S, 163-167
Tanaka S, 400-402
Terris DJ, 249-260
Teszler CB, 272-274
Tezer MS, 330-332
Tidwell J, 333-336
Tome R, 268-271, 272-274
Tomura N, 163-167
Toohill RJ, 239-244
Trinidad A, 226-229
Tripuraneni SC, 151-156
Tsai K-B, 426-429
Tsukuda M, 308-313
Tzeng J-E, 60-63

U

Ulualp SO, 239-244
Ulug T, 230-238
Umeno H, 219-225
Unal A, 330-332

V

Vaida S, 268-271
Vaiman M, 302-307
Verdaguer JM, 226-229
Villarreal P, 275-278

W

Wada A, 265-267
Wang C-J, 7-11
Wang L-F, 426-429
Wang P-C, 7-11
Wang S-G, 314-323
Wang S-y, 118-122
Wang S-z, 118-122
Wasserman T, 157-162
Watanabe O, 163-167
Watarai J, 163-167
Weber PC, 75
Weider DJ, 193-197
Wein RO, 186-192, 353-355
Wiesmiller KM, 175-180
Wiet RJ, 128-131
Wiley EL, 146-149
Wu C-M, 57-59
Wu C-W, 426-429
Wu H-P, 60-63

X

Xu M, 87-90

Y

Yalcin F, 330-332
Yamaguchi M, 67-70, 400-402
Yang T-H, 408-410
Yanoma S, 308-313
Yao M, 388-392
Yardımcı S, 123-127
Yıldırım A, 51-53, 123-127
Yıldırım S, 45-50
Yilmaz I, 113-117
Yilmaz MD, 18-21, 64-66
Yilmazer C, 113-117
Yoo GH, 77-82
Yuba Y, 265-267

Z

Zarandy MM, 132-134
Zitsch RP III, 214-217



Subject Index

A

- AAOHS *see* American Academy of
Otolaryngology-Head and Neck Surgery
- ABC *see* Aneurysmal bone cyst
- Adenoidectomy
 - and effects of tonsillectomy on pulmonary arterial
pressure in children, 18
- Adenoma, follicular
 - juxtathyroidal thyroglossal duct cyst with papillary
carcinoma in thyroid gland, 348
- Adult rhabdomyoma
 - multifocal, 214
- Aging
 - laryngeal and respiratory movements discoordination in
aged rats, 377
- Airway compromise
 - by hematoma after thyroid fine-needle aspiration, 398
- Airway lumen
 - narrowing of, due to tracheomalacia, 422
- American Academy of Otolaryngology-Head and Neck
Surgery (AAOHS)
 - guidelines for hearing and equilibrium, 128
 - standardization of neck dissection terminology, 289
- Amifostine
 - protective effect, decreased ICAM-1 expression
and, 118
- Anastomoses
 - between cervical branch of facial nerve and
TCCN, 168
 - between intracranial and extracranial veins, 172
- Aneurysmal bone cyst (ABC)
 - temporal bone associated with reversible hemifacial
paralysis, 261
- Anterior cranial fossa glioblastoma
 - with sleep apnea as the initial manifestation, 327
- Aspergillus nidus of maxillary antrolith, 426
- Autologous fat
 - liposuctioned, injection material in
vocal-fold-augmentation surgery, 219
- Autosomal dominant osteopetrosis (ADO)
 - clinical and radiological (maxillofacial) manifestations
of, 275

B

- Bacteremia
 - cold dissection versus bipolar cauterizing tonsillectomy
for, 51
- Bee sting, orofacial
 - in children, endotracheal intubation and mechanical
ventilation, 272
- Blue rubber bleb nevus syndrome
 - presenting as oral cavity hemangiomas, 282
- Bone tumor
 - ABC of temporal bone associated with reversible
hemifacial paralysis, 261
- Book reviews
 - The Noise Manual*, 4th edition, Eds: EH Berger,
LH Royster, JD Royster, DP Driscoll, M Layne, 75
- Botulinum toxin A (BTX-A)
 - treatment of UES dysfunction, 157
- BRBNS *see* Blue rubber bleb nevus syndrome
- Breast cancer
 - metastatic, of oral cavity, 279
- Bupivacaine
 - for posttonsillectomy pain, complications, peripheral
facial nerve paralysis, 406

C

- Cancer
 - breast, metastatic, of the oral cavity, 279
 - head and neck
 - evaluation of CD44, ICAM-1, and VCAM-1 as tumor
markers in, 308
 - management of (editorial), 289
 - laryngeal and hypopharyngeal
 - clinical usefulness of 3-D computed tomography
laryngography in, 314
 - thyroid, contemporary management of, 249
- Capillary hemangioma
 - of tympanic membrane, 351
- Carcinoma
 - meningeal, diagnosis and treatment of, 193
- Merkel cell
 - of auricle, clinical features, prognosis, and
treatment, 324
 - of skin with leptomeningeal metastases, 210

- mucoepidermoid carcinoma (MEC), multimodal therapy, 138
- parotid gland, determinants of survival in, 39
- small-cell undifferentiated, of submandibular gland, 60
- squamous cell, head and neck,
 - aberrant promoter hypermethylation of multiple genes in, 12
 - transfected with cytochrome P-450 2B1, 22
- T1N0 laryngeal sarcomatoid, systemic metastases after radical radiotherapy, 400
- thyroid, locally aggressive, management of, 186
- undifferentiated, arising from the Stensen's duct, 415
- Carcinomatous meningitis
 - arising from primary nasopharyngeal carcinoma, 193
- CD 44
 - tumor marker in head and neck cancer, 308
- Children
 - atypical mycobacterial cervicofacial lymphadenitis in, 337
 - effects of tonsillectomy and adenoidectomy on pulmonary arterial pressure in, 18
 - glabellar lesion, myofibrosarcoma arising from nasal bones, 265
 - orofacial bee stings, endotracheal intubation and mechanical ventilation, 272
- Cholesteatoma
 - congenital, locations of, in middle ear in Japanese patients, 372
 - middle ear, Ki-67 in, nucleoplasm staining patterns and cell cycle-associated expression of, 296
- Chromogranins
 - for neuroendocrine differentiation, 60
- Computed tomography (CT)
 - 3 D, and polysomnography findings, obstructive sleep apnea, 7
 - confirmation of congenital vomeral bone defect, 64
 - diagnosis of papillary thyroid carcinoma with follicular adenoma in juxtathyroidal TGDC, 348
 - high-resolution (HRCT), impact in decision making, facial paralysis, 230
- Computed tomography laryngography
 - 3-D, clinical usefulness in laryngeal and hypopharyngeal cancer, 314
- Congenital anomalies of nose
 - vomer bone defect, 64
- Congenital lip pits
 - familial occurrence of, 132
- Congenital transethmoidal encephalocele
 - presenting as intracerebral hemorrhage after endoscopic polypectomy, 67
- Cranial fossa glioblastoma, anterior
 - with sleep apnea as the initial manifestation, 327
- Cranial neuropathies, multiple
 - Wegener's granulomatosis, 146
- Cyclophosphamide (CPA) sensitivity
 - enhanced, in squamous cell carcinoma transfected with cytochrome P-450 2B1, 22
- Cyst
 - juxtathyroidal thyroglossal duct, follicular adenoma in, with papillary carcinoma in thyroid gland, 348
 - nasal dermoid sinus, adult, 403
- D**
- Dexamethasone injection, intratympanic
 - effects on transient-evoked otoacoustic emission, 113
- E**
- Ear, middle (ME)
 - carcinoid tumor, 57
 - cholesteatoma, Ki-67 in, nucleoplasm staining patterns and cell cycle-associated expression of, 296
 - congenital cholesteatoma, locations of, in Japanese patients, 372
 - intraoperative saline irrigation, postoperative purulent otorrhea, 123
 - labyrinthitis, intratemporal complication of otitis media, 226
 - mucosa, downregulation of ICAM-1 expression, protective effect of amifostine, 118
- Electrocochleography (ECoG)
 - diagnosis of Meniere's disease, 128
- Electromyography of nose
 - internal and external surface of, biofeedback training of nasal muscles, 302
- Electron microscopy
 - in LMS diagnosis, 201
- Encephalocele in ethmoid sinus
 - presenting as intracerebral hemorrhage after polypectomy, 67
- Endoscopy
 - diagnosis of congenital vomeral bone defect, 64
 - nasal, congenital vomeral bone defect, 64
 - and radiologic imaging, diagnosis of BRBNS, 282
 - resection of large sinonasal ossifying fibroma, 54
 - for sinus stone, 426
- Endotracheal intubation
 - orofacial bee stings of children, 272
- Envenomation
 - bee stings, endotracheal intubation and mechanical ventilation, 272
- Esophageal web
 - radiation-induced, treatment with retrograde esophagoscopy and puncture, 353
- Esophagoscopy, retrograde
 - and puncture, treatment for radiation-induced esophageal web, 353
- Ethmoid sinus
 - encephalocele, presenting as intracerebral hemorrhage after polypectomy, 67
- F**
- Facial nerve
 - anastomoses of cervical branch and TCCN, 168

- Facial paralysis
 management of, in temporal bone fractures, 230
- Facial reconstruction
 after mucormycosis in immunocompetent host, 333
- FFB *see* Flexible fiberoptic bronchoscopy
- Fibrosis
 effects of mitomycin C and 5-fluorouracil/triamcinolone
 on, 45
- Fine-needle aspiration (FNA)
 diagnosis of parapharyngeal paraganglioma, 360
- Fine-needle aspiration, thyroid
 airway compromise by hematoma after, 398
- Fine needle aspiration biopsy (FNAB)
 evaluation of thyroid nodule, benign or malignant, 249
- Flexible fiberoptic bronchoscopy
 through laryngeal mask airway, 268
- FNAB *see* Fine needle aspiration biopsy
- Fractures
 nasal bone, management of, 181
- temporal bone, management of facial paralysis
 in, 230
- Frontal sinus hamartomas
 surgical resection for, 419
- G**
- G1 cell-cycle inhibitors
 prognostic significance in early laryngeal cancer, 77
- Gastroesophageal acid reflux disease (GERD)
 prevalence of, 239
- Gene mutations
 methylenetetrahydrofolate reductase, risk factors for
 sudden hearing loss, 383
- Gentamicin
 treated frogs, vestibular cytotoxicity in, 91
- GERD *see* Gastroesophageal acid reflux disease
- Glioblastoma
 anterior cranial fossa, with sleep apnea as the initial
 manifestation, 327
- Glomus tumor, invasive
 of nose and paranasal sinuses, 207
- Granuloma
 vocal process, effects of voice therapy, 101
- H**
- Hamartomas
 frontal sinus, 419
- Head and neck cancer
 evaluation of CD44, ICAM-1, and VCAM-1 as tumor
 markers in, 308
- Head and neck schwannomas
 nonvestibular, clinical characteristics and treatment
 outcome for, 108
- Hearing and equilibrium
 AAO-HNS guidelines for, 128
- Hearing conservation manual
 4th edition, The Noise Manual (book review), 75
- Hearing loss, sudden (SHL)
 MTHFR gene mutations as risk factors, 383
- therapeutic effect of lipoprostaglandin E1, 245
- Hematoma
 after thyroid fine-needle aspiration, airway
 compromise, 398
- Hemifacial paralysis
 reversible, aneurysmal bone cyst of temporal bone
 associated with, 261
- Heterotopia, salivary
 neck masses secondary to, 96
- Histiocytic necrotizing lymphadenitis
 see Kikuchi-Fujimoto disease
- Hypermethylation
 aberrant promoter of multiple genes, head and neck
 squamous cell carcinoma, 12
- Hypopharyngeal mass
 and bilateral cystic parotid masses, differential diagnosis
 for MALT lymphoma, 135
- I**
- ICAM-1 (Intercellular adhesion molecule-1)
 decreased expression, protective effect of amifostine
 and, 118
- tumor marker in head and neck cancer, 308
- Imaging
 color Doppler flow imaging (CDFI), diagnosis of
 JVP, 172
- CT and MRI in defining invasion, thyroid carcinoma, 186
- maximum slope of increase (MSI), efficacy of
 radiotherapy in head and neck tumors, 163
- preoperative localization of unilateral parathyroid
 adenoma, 83
- radiologic and endoscopy, diagnosis
 of BRBNS, 282
- sonography/thyroid ultrasound, evaluation of thyroid
 nodule, 249
- Immunocompromised patient
 subacute infratemporal fossa cellulites with subsequent
 abscess formation in, 35
- Immunohistochemistry, pitfalls
 in laryngeal LMS diagnosis and treatment, 201
- Infections
 aspergillus, differential diagnosis of radiopaque paranasal
 sinus lesion, 426
- middle ear, labyrinthitis, secondary to otitis media, 226
- Infratemporal fossa cellulites
 subacute, with subsequent abscess formation, 35
- Injection laryngoplasty
 histological investigation of liposuctioned fat, 219
- Intranasal airflow
 numerical simulation of, after radical sinus surgery, 175
- Intratympanic dexamethasone injection
 effects on transient-evoked otoacoustic emission, 113
- Irradiation
 increased expression of ICAM-1 in middle ear
 mucosa, 118

Irradiation-induced osteosarcoma
after radiation therapy, 71

J

Jugular vein phlebectasia, congenital
diagnosis, treatment and postoperative
complications, 172

JVP *see* Jugular vein phlebectasia

K

Ki-67 in middle ear cholesteatoma
nucleoplasm staining patterns and cell cycle-associated
expression of, 296

Kikuchi-Fujimoto disease
intraparotid, masquerading as parotid gland tumor, 408

L

Labyrinthitis
secondary to experimental otitis media, 226

Lacrimal drainage system (LDS). *see* Nasolacrimal
drainage system

Large vestibular aqueduct syndrome (LVAS)
audiological, radiological, clinical, and genetic
features, 363

Laryngeal and hypopharyngeal cancer
clinical usefulness of 3-D computed tomography
laryngography in, 314

Laryngeal and respiratory movements
discoordination of, in aged rats, 377

Laryngeal cancer
early, prognostic significance of G1 cell-cycle inhibitors, 77

Laryngeal leiomyosarcoma (LMS)
immunohistochemical investigations, critical analysis
of, 201

Laryngeal mask airway (LMA)
flexible fiberoptic bronchoscopy through, 268

Laryngectomy, salvage
elective neck dissection, 388

Laryngoscopy, combined direct
with retrograde esophagoscopy for recannulization of
esophageal stenoses, 353

Leptomeningeal metastases
diagnosis and treatment of, 193
skin with, Merkel cell carcinoma, 210

Lesions of pinna, comprehensive study on, 1

Lip pits, congenital
familial occurrence of, 132

Lipoprostaglandin E1
therapeutic effect on sudden hearing loss, 245

Liposuctioned fat
histological investigation of, injection laryngoplasty, 219

LMA *see* Laryngeal mask airway

Lymphadenitis,
atypical mycobacterial cervicofacial, in children, 337

"Lymphoepithelial sialadenitis" (LESA)
risk of malignant lymphoma inpatients with, 285

Lymphoma

presented as cystic masses in parotid glands and
hypopharynx mass, 135
presented as diffuse swelling of parotid gland, 285

Lymphoma, primary
of nasolacrimal drainage system, 356

M

Magnetic resonance imaging (MRI)
and computed tomography, destructive and expansile
lesion of ABC, 261

dynamic contrast-enhanced, in, head and neck
tumors, 163

occult intracranial violations in sinus surgery, 411

MALT *see* Mucosa-associated lymphoid tissue

MEN syndromes. *see* Multiple endocrine neoplasia
syndromes

Meniere's disease

electrocochleography in diagnosis of, 128
intratympanic injection of gentamicin (GM) therapy, 91

Meningeal carcinomatosis
diagnosis and treatment of, 193

Merkel cell carcinoma
of auricle, clinical features, prognosis, and
treatment, 324
of skin with leptomeningeal metastases, 210

Metastatic disease

breast carcinoma presenting as oral cavity mass, 279

Methylenetetrahydrofolate reductase (MTHFR)
gene mutations, risk factors for sudden hearing loss, 383

MIB-1
recombinant monoclonal antibody in diagnosis of middle
ear cholesteatoma, 296

MRI *see* Magnetic resonance imaging

Mucoepidermoid carcinoma (MEC)
thyroid malignancy, multimodal therapy, 138

Mucormycosis

facial reconstruction after, 333

Mucosa-associated lymphoid tissue (MALT) lymphoma
bilateral cystic and hypopharyngeal mass, differential
diagnosis for, 135

presented as diffuse swelling of parotid gland, 285

Multiple endocrine neoplasia (MEN) syndromes, 252

Mutations

MTHFR gene, risk factors for sudden hearing loss, 383

Myofibrosarcoma

from nasal bones, a potential glabellar lesion in
children, 265

N

Nasal bone
myofibrosarcoma of, 265

Nasal bone fractures
management of, 181

Nasal cavity
invasive glomus tumor of, 207

- Nasal dermoid sinus cyst (NDSC)
adult, unusual presentation, 403
- Nasal muscles
biofeedback training of, using electromyography of the nose, 302
- Nasal snuff
long-term abuse, effect on nasal mucosa, 151
- Nasolacrimal drainage system
primary lymphoma of, 356
- Nasopharyngeal angiofibroma
immunohistochemical analysis in diagnosis, 198
- Nasopharyngeal carcinoma
primary, carcinomatous meningitis from, 193
- Neck dissection
elective, during salvage laryngectomy, 388
historical and current concepts (editorial), 289
- Neck masses
secondary to heterotopic salivary gland tissue, 96
- Neck surgery
importance of highly located innominate artery in, 330
- Neonate, premature
with congenital biphasic stridor, FFB through LMA, 268
- Neuron-specific enolase (NSE) sensitivity to neuroendocrine tumor, 60
- Nose
amputated, fate of, after replantation, 344
multiply revised, rhinoplasty for, 28
- Numerical simulation
intranasal airflow, radical sinus surgery, 175
- O**
- Obstructive sleep apnea (OSA)
3 D-CT and polysomnography findings after extended uvulopalatal flap surgery, 7
primary to tracheomalacia, 422
- Occult intracranial violations
MRI for diagnosis of, 411
- Occult papillary thyroid carcinoma (OPTC)
in postmortem species, 87
- Oral cavity hemangiomas
high index of suspicion for BRBNS, 282
- Oral cavity mass
metastatic breast cancer of, 279
- OSA *see* Obstructive sleep apnea
- Ossifying fibroma, large sinonasal
endoscopic resection, 54
- Osteomyelitis, maxillomandibular
autosomal dominant osteopetrosis and, 275
- Osteopetrosis, autosomal dominant
maxillofacial manifestations of, 275
- Otitis media
experimental, labyrinthitis secondary to, 226
- Otoacoustic emission
transient-evoked, effects of intratympanic dexamethasone injection, 113
- Otorrhea, postoperative purulent
effective economical preventive therapy for, 123
- P**
- p27 overexpression
indicator of recurrence, early laryngeal squamous cell carcinoma, 77
- Pain, posttonsillectomy
bupivacaine complications, peripheral facial nerve paralysis, 406
- Papillary thyroid cancer
with abdominal and flank pain, 142
with follicular adenoma in juxtathyroidal TGDC, 348
- Paralysis
hemifacial, reversible, aneurysmal bone cyst of temporal bone associated with, 261
peripheral facial nerve, after peritonsillar infiltration of bupivacaine, 406
- Parapharyngeal paraganglioma
diagnosis on fine-needle aspiration, 360
- Parathyroidectomy
lateral minimal, safety and cosmetic benefits, 83
- Parotid gland
mucosa-associated lymphoid tissue lymphoma, 285
- Parotid gland carcinoma
determinants of survival in, 39
intraparotid Kikuchi-Fujimoto disease masquerading as, 408
- Parotid masses
bilateral cystic and hypopharyngeal mass, differential diagnosis for MALT lymphoma, 135
- Peripheral facial nerve paralysis
after peritonsillar infiltration of bupivacaine, 406
- Pinna
lesions of, 1
- Pleomorphic adenoma
of nasal cavity (letter), 218
- Plummer-Vinson syndrome
associated with anterior esophageal web formation, 353
- Polysomnography (PSG)
3D-computed tomography findings, obstructive sleep apnea, 7
- Pulmonary arterial pressure
children, effects of tonsillectomy and adenoidectomy on, 18
- R**
- Radiation therapy
irradiation-induced osteosarcoma, 71
- Radiotherapy
T1N0 laryngeal sarcomatoid carcinoma, systemic metastases, 400
- Reflux laryngitis (RL)
prevalence of GERD in patients with, 239
- Rhabdomyoma, extracardiac
uncommon benign tumor of striated muscle, 214

- Rhinitis, chronic
 effect of snuff on nasal mucosa, 151
- Rhinoplasty
 for multiply revised nose, 28
- S
- Salivary gland tissue
 heterotopic, neck masses secondary to, 96
- Salivary MALT lymphoma
 diffusely progressing, treatment strategy of, 285
- Sarcoma
 postirradiation, 71
- Schwannomas, nonvestibular
 head and neck, clinical characteristics and treatment outcome, 108
- Serous otitis media
 prevention of purulent otorrhea after VT insertion, 123
- Sinonasal ossifying fibroma, large
 endoscopic resection, 54
- Sinus stone
 pathophysiology for formation of, 426
- Sinus surgery
 occult intracranial violations, MRI for accurate assessment of, 411
- Sinusitis
 long standing, *aspergillus* as central fungal nidus, 426
- Skull base
 Wegener's granulomatosis resulting in multiple cranial neuropathies, 146
- Sleep apnea
 initial manifestation of anterior cranial fossa glioblastoma, 327
- Small-cell undifferentiated carcinoma (SCUC)
 of submandibular gland, 60
- Squamous cell carcinoma, head and neck,
 aberrant promoter hypermethylation of multiple genes in, 12
 transfected with cytochrome P-450 2B1, 22
- Stensen's duct
 undifferentiated carcinoma arising from, 415
- Subglottic trauma
 effects of mitomycin C and
 5-fluorouracil/triamcinolone on, 45
- Submandibular gland
 small-cell undifferentiated carcinoma of, 60
- Sudden hearing loss (SHL)
 MTHFR gene mutations as risk factors, 383
 therapeutic effect of lipoprostaglandin E1, 245
- Surgery
 aneurysmal bone cyst of temporal bone, en bloc excision, 261
 carcinoid tumor of middle ear, improvement after, 57
 endoscopic resection, large sinonasal ossifying fibroma, 54
 excision or parotidectomy, salivary heterotopia, 96
 extended uvulopalatal flap surgery for obstructive sleep apnea, 7
 injection laryngoplasty for vocal-fold paralysis, 219
 laryngeal mask airway, guide to FFB, 268
 laryngectomy
 bilateral neck dissection for recurrent staged rT3/4 tumors and supraglottic cancers, 388
 lateral minimal parathyroidectomy, 83
 ligation or excision in JVP, 172
 middle cranial fossa (MCF) approach, facial paralysis in temporal bone fractures, 230
 mucoepidermoid carcinoma of thyroid, multimodal therapy, 138
 myofibrosarcoma of nasal bone, 265
 nasal endoscopy, congenital vomeral bone defect, 64
 neck, tracheolaryngeal, surgical importance of highly located innominate artery in, 330
 nonvestibular head and neck schwannomas, size and location of tumor, 108
 phonoscopic approach, voice therapy on vocal process granuloma, 101
 radical sinus, disturbed intranasal airflow patterns, 175
 shave and resection techniques, thyroid carcinoma, 186
 sinus
 occult intracranial violations, MRI for accurate assessment of, 411
 thyroid cancer, newer techniques in management of, 249
 thyroidectomy for metastatic well-differentiated thyroid cancer, 142
 tonsillectomy
 and adenoidectomy (T&A), effects on pulmonary arterial pressure in children, 18
 bacteriemia, cold dissection versus bipolar cauterizing, 51
 for tracheomalacia, 422
 transcranial
 massive intracerebral hemorrhage after endoscopic polypectomy, 67
 ventilation tube insertion, middle ear
 preventive therapy for postoperative purulent otorrhea, 123
- T
- T1N0 laryngeal sarcomatoid carcinoma
 systemic metastases after radical radiotherapy, 400
- TCCN *see* Transverse cervical cutaneous nerve
- Temporal bone
 aneurysmal bone cyst of, reversible hemifacial paralysis, 261
 fractures, management of facial paralysis in, 230
- TEOAE *see* Transient evoked otoacoustic emission
- TGDC *see* Thyroglossal duct cyst
- Thyroglossal duct cyst (TGDC)
 juxtathyroidal, follicular adenoma in, papillary thyroid carcinoma with, 348

- Thyroid carcinomas
contemporary management of, 249
locally aggressive, management of, 186
- Thyroid fine-needle aspiration
hematoma after, airway compromise, 398
- Thyroid malignancy
mucoepidermoid carcinoma (MEC), multimodal therapy, 138
- Thyroidectomy
for metastatic well-differentiated thyroid cancer, 142
- Tinnitus
intratympanic dexamethasone injection effects on TEOAE, 113
- Tobacco, powdered *see* Nasal snuff
- Tonsillectomy
bacteremia, cold dissection versus bipolar cauterizing, 51
effects of, adenoidectomy on pulmonary arterial pressure in children, 18 for tracheomalacia, 422
- Tracheomalacia
secondary to obstructive sleep apnea, 422
- Transient evoked otoacoustic emission (TEOAE)
intratympanic dexamethasone injection effects, 113
- Transverse cervical cutaneous nerve
anastomoses of cervical branch of facial nerve and, 168
- Tumor markers
head and neck cancer, evaluation of CD44, ICAM-1, and VCAM-1, 308
- Tumors
carcinoid tumor of middle ear, 57
irradiation-induced osteosarcoma, 71
head and neck
dynamic contrast-enhanced MRI, radiotherapeutic efficacy in, 163
heterotopic salivary inclusions in parotid and cervical lymph nodes, 96
hereditary bony dysplasias, ADO, maxillofacial manifestations, 275
invasive glomus tumor of nose and paranasal sinuses, 207
Merkel cell carcinoma of skin with leptomeningeal metastases, 210 myofibrosarcoma of nasal bone, 265
parapharyngeal paraganglioma, 360
parotid gland, Kikuchi-Fujimoto disease masquerading as, 408
parotid MALT lymphoma, 285
T1N0 laryngeal sarcomatoid carcinoma, systemic metastases after radiotherapy, 400
- Tympanic membrane
abnormalities of, 393
capillary hemangioma of, 351
changes in central tympanic membrane perforations, 393
- Tympanosclerosis
persistent abnormality of tympanic membrane, 393
- U**
- UES *see* Upper esophageal sphincter
- Upper esophageal sphincter (UES) dysfunction
botulinum toxin A for treatment of, 157
GERD events located close to, 239
- Uvulopalatal flap surgery
extended for obstructive sleep apnea, 7
- V**
- Valsalva maneuver
diagnosis of congenital JVP, 172
and modified, in assessing laryngeal and hypopharyngeal cancers, 314
- Vasculitis, systemic
Wegener's granulomatosis, need for early recognition and therapy, 146
- VCAM-1
tumor marker in head and neck cancer, 308
- Ventilation tube (VT) insertion
preventive therapy for postoperative purulent otorrhea, 123
- Vestibular cytotoxicity
in gentamicin-treated frogs, 91
- Vocal-fold-augmentation surgery
liposuctioned autologous fat as injection material, 219
- Voice therapy
effects of, vocal process granuloma, 101
- VT *see* Ventilation tube
- W**
- Wegener's granulomatosis
skull base, multiple cranial neuropathies, 146